

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	303	(710/8,10,15,52,53,56,57.ccls. 709/104,105,213,214,215,216, 219,220,221,222,226,250.ccls. 713/1,100.ccls.) and (queue\$3 and host\$3 and (application near2 server\$1))	USPAT; EPO	OR	ON	2005/06/16 15:54
L2	152	(710/8,10,15,52,53,56,57.ccls. 709/104,105,213,214,215,216, 219,220,221,222,226,250.ccls. 713/1,100.ccls.) and (queue\$3 and host\$3 and (application near2 server\$1)) and @ad<="19990219"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/16 16:08
L3	37	("5659794").URPN.	USPAT	OR	OFF	2005/06/16 15:55
L4	1	("6397350").URPN.	USPAT	OR	OFF	2005/06/16 15:55
L5	32	(710/8,10,15,52,53,56,57.ccls. 709/104,105,213,214,215,216, 219,220,221,222,226,250.ccls. 713/1,100.ccls.) and ((router route routing) same queue\$3 and buffer and pci) and @ad<="19990219"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/16 15:56
L6	8	(710/8,10,15,52,53,56,57.ccls. 709/104,105,213,214,215,216, 219,220,221,222,226,250.ccls. 713/1,100.ccls.) and ((router route routing) same queue\$3 and buffer and sti) and @ad<="19990219"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/16 15:56
L7	5	brandt-mark-steven.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 15:57
L8	49	baskey.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 15:57
L9	42	(queue\$3 same (database\$1 storag\$3) same (interrupt\$3 delay\$3) and (application near2 server\$1)) and @ad<="19990219"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/16 16:01
L10	28	(plural\$3 near4 queue\$3 same (database\$1 storag\$3) and (application near2 server\$1)) and @ad<="19990219"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/16 16:07

L11	62	((multiple plural\$3) same queu\$3 same server same stor\$3 and ("709"/\$.ccls. "710"/\$.ccls.)) and @pd>"20040801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:05
L12	0	((multiple plural\$3) same queu\$3 same server same stor\$3 and ("709"/\$.ccls. "710"/\$.ccls.)) and @pd>"20040801" and @ad<="19990219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:05
L13	126	((710/8,10,15,52,53,56,57.ccls. 709/104,105,213,214,215,216, 219,220,221,222,226,250.ccls. 713/1,100.ccls.) and (interfac\$3 and queu\$3 and host\$3 and (application near2 server))) and pci	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/16 16:06
L14	34	((710/8,10,15,52,53,56,57.ccls. 709/104,105,213,214,215,216, 219,220,221,222,226,250.ccls. 713/1,100.ccls.) and (interfac\$3 and queu\$3 and host\$3 and (application near2 server))) and pci and @ad<="19990219"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/16 16:06
L15	37	(710/8,10,15,52,53,56,57.ccls. 709/104,105,213,214,215,216, 219,220,221,222,226,232,250. ccls. 713/1,100.ccls.) and sti	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:07
L16	10	(plural\$3 near4 queu\$3 same (database\$1 storag\$3) and (application near2 server\$1)) and 709/232.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/16 16:08
L17	160	(710/8,10,15,52,53,56,57.ccls. 709/104,105,213,214,215,216, 219,220,221,222,226,232,250. ccls. 713/1,100.ccls.) and (queu\$3 and host\$3 and (application near2 server\$1)) and @ad<="19990219"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/16 16:08
L18	23	(710/8,10,15,52,53,56,57.ccls. and 709/104,105,213,214,215, 216,219,220,221,222,226,232, 250.ccls. 713/1,100.ccls.) and (queu\$3 and host\$3 and (application near2 server\$1)) and @ad<="19990219"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/16 16:16

L19	14	(710/8,10,15,52,53,56,57.ccls. and (709/104,105,213,214,215, 216,219,220,221,222,226,232, 250.ccls. 713/1,100.ccls.)) and (queue\$3 and host\$3 and (application near2 server\$1)) and @ad<="19990219"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/16 16:19
L20	0	(common main) adj transfer\$4 near3 queue\$3 same server\$1 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:09
L21	0	(common main) adj transfer\$4 near3 queue\$3 same server\$1 and ("709"/\$.ccls. "710"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:10
L22	0	(common main) adj transfer\$4 near3 queue\$3 same server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:10
L23	298	transfer\$4 near3 queue\$3 and application near2 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:10
L24	87	transfer\$4 near3 queue\$3 and application near2 server\$1 and @ad<="19990219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:11
L25	0	transfer\$4 near3 queue\$3 and application near2 server\$1 and @ad<="19990219" and @pd>"20040801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:11
L26	41	transfer\$4 near3 queue\$3 and (application near2 server\$1 same (client\$1 user\$1)) and @ad<="19990219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 16:12
L28	3	("6192482").URPN.	USPAT	OR	OFF	2005/06/16 16:13
L29	23	(710/8,10,15,39,52,53,56,57.ccls. and 709/104,105,213,214,215, 216,219,220,221,222,226,232, 250.ccls. 713/1,100.ccls.) and (queue\$3 and host\$3 and (application near2 server\$1)) and @ad<="19990219"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/16 16:19

L30	24	(710/8,10,15,39,48,49,52,53,56,57.ccls. and 709/104,105,213,214,215,216,219,220,221,222,226,232,250.ccls. 713/1,100.ccls.) and (queue\$3 and host\$3 and (application near2 server\$1)) and @ad<="19990219"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/16 16:19
L31	15	(710/8,10,15,39,48,49,52,53,56,57.ccls. and (709/104,105,213,214,215,216,219,220,221,222,226,232,250.ccls. 713/1,100.ccls.)) and (queue\$3 and host\$3 and (application near2 server\$1)) and @ad<="19990219"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/16 16:20
L32	15	(710/8,10,15,39,46-49,52,53,56,57.ccls. and (709/104,105,213,214,215,216,219,220,221,222,226,232,250.ccls. 713/1,100.ccls.)) and (queue\$3 and host\$3 and (application near2 server\$1)) and @ad<="19990219"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/16 16:20